



Environment Protection Licence No.: 1694
Link to full licence on EPA website:
<http://www.epa.nsw.gov.au/prpoeoapp/>
Licensee: Edward River Council, PO Box 270 Deniliquin NSW 2710
Address of facility: Calimo Street, Deniliquin NSW

Monitoring Point 1

Location: Outlet from the Northern end of the Pond 4 into the drainage channel
Date data Published: 14th July 2025
NOTE: No discharged was recorded from Point 1 for the reporting month of June due to the operation of the effluent reuse scheme. No samples were taken for analysis.

Monitoring Point 3

Location: Flow meter downstream of Pond 4 outlet
Date data Published: 14th July 2025
Monitoring Period 1st June 2025 to 30th June 2025
NOTE: No flow was recorded at Point 3 for the reporting month of June due to the operation of the effluent reuse scheme.

Monitoring Point 4

Location: Effluent Reuse Pump Station adjacent Pond 4
Date data Published: 14th July 2025
Date data obtained: 20th June 2025
Date Sampled: 4th June 2025

Pollutant	Unit	Monitoring frequency required by licence	Measurement
Biochemical Oxygen Demand	mg/l	Monthly	11
Chlorophyll-a	mg/m3	Monthly	28
Conductivity	uS/cm	Monthly	527
Escherichia coli	cfu/100ml	Monthly	22
Nitrogen (total)	mg/l	Monthly	12
Oil and Grease	mg/l	Monthly	1
pH	pH units	Monthly	7.3
Phosphorus (total)	mg/l	Monthly	7.44
Total Suspended Solids	mg/l	Monthly	2

Monitoring Point 5

Location: Flow meter downstream of Effluent Pump Station
Date data Published: 14th July 2025
Monitoring Period 1st June 2025 to 30th June 2025

Item	Unit	Monitoring frequency required by licence	Min. value	Max. value	Volume limit	Exceeds limit (yes/no)
Daily flow	kl/day	continuous	1220	2391	4000	No